



AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A ferrocene compound represented by the following formula



(I):



wherein A represents a divalent ferrocene-containing linker ~~or ferrocene-1,1'-yl~~, represented by the following formula (VI):




wherein R₁ and R₃ represent a hydrogen atom or alkyl; j and k represent the same or different integer of from 0 to 5, R₂ represents a hydrogen atom or alkyl; n and m represent any natural numbers; and wherein each of [[V¹]] V² to Vⁿ⁺¹ and each of [[X¹]] X² to X^{m+1} is independently represented by the following formula (II) or (II-1):





wherein each of V¹ and X¹ is represented by the formula (II),

W represents the following formula (III):



wherein U in the formulae (II) and (III) represents a nitrogen atom, methine or hydroxymethine;

and Z represents the following formulae (IV) or (V):



and both ends of each of V^n and X^m in the formula (I) form a (-CO-NH-) bond except that a bond on the side of the ferrocene-containing linker or ferrocene-1,1'-yl of V^1 is (-CO-NR₂-).

2. (Previously Presented) The ferrocene compound according to Claim 1 wherein n and m are natural numbers in the range of 3 – 20.

3. (Previously Presented) The ferrocene compound according to Claim 1 or 2 wherein the number of n is smaller by one than that of m.

4-5. (Cancelled)


6. **(Currently Amended)** The ferrocene compound according to Claim [[4]] 1 wherein j and k are 1.

7. **(Currently Amended)** The ferrocene compound according to Claim [[4]] 1 wherein R₁ and R₃ represent a hydrogen atom.

8. **(Cancelled)**


9. (Previously Presented) The ferrocene compound according to Claim 1 wherein R₁, R₂ and R₃ represent alkyl having one or several carbon atoms.

10. **(Currently Amended)** The ferrocene compound represented by the following formula (VIII):




11. (Cancelled)


12. (Currently Amended) The ferrocene compound represented by the following formula (1b):



13. **(Currently Amended)** The ferrocene compound represented by the following formula (1c):



14. **(Currently Amended)** The ferrocene compound represented by the following formula (2):



15. **(Cancelled)**

16. **(Withdrawn-Currently Amended)** A method for the production of the ferrocene compound according to Claim 1, comprising a condensation step with ~~the use of~~ ferrocene methyl dicarboxylate, aminoferrocene methyl carboxylate or ferrocene carboxylic acid as a starting material.

17. **(Previously Presented)** A ligand consisting of the ferrocene compound according to Claim 1 for sequence-specific detection of double-stranded nucleic acid molecules.

18. **(Withdrawn-Currently Amended)** A method for the electrochemical detection of double-stranded nucleic acid molecules comprising providing ~~with the use of~~ a compound that can sequence-specifically bind to the double-stranded nucleic acid molecules and permitting the compound to sequence-specifically bind to the double-stranded nucleic acid molecules, wherein the compound comprises the ferrocene compound according to claim 1.

19. **(Withdrawn-Currently Amended)** [[A]] The method for electrochemical detection of double-stranded nucleic acid molecules according to Claim 18, wherein the compound is ~~with the use of the ligand according to Claim 17.~~

20. **(Withdrawn-Currently Amended)** The method for electrochemical detection of double-stranded nucleic acid molecules according to Claim ~~[[16]]~~ 19, ~~which uses the ligand according to Claim 17~~ wherein each pair of V and X located in the formula (I) at a position

corresponding to G/C and A/T (U) base pairs in subject double-stranded nucleic acid molecules is composed of imidazole derivative/pyrrole derivative and pyrrole derivative/pyrrole derivative, respectively.

21. **(Withdrawn-Currently Amended)** ~~[[A]]~~ The method for electrochemical detection of double-stranded nucleic acid molecules according to Claim 18 wherein the double-stranded nucleic acid molecules are formed on a solid phase.

22. **(Withdrawn-Currently Amended)** ~~[[A]]~~ The method for electrochemical detection of double-stranded nucleic acid molecules according to Claim 21, which uses wherein the double-stranded nucleic acid molecules formed on the solid phase are in the form of a DNA microarray.

23. **(Withdrawn-Currently Amended)** A method for the detection of a single nucleotide polymorphism (SNP) ~~[[by]]~~ comprising the steps of the method for electrochemical detection of double-stranded nucleic acid molecules according to Claim 18 and detecting the SNP.

24. **(Withdrawn-Currently Amended)** An apparatus or device for ~~the~~ electrochemical detection of double-stranded nucleic acid molecules comprising, a solid phase with double-stranded nucleic acid molecules formed thereon, wherein the apparatus or device is capable of detecting sequence-specific binding with the use of the ligand for sequence-specific detection of

double-stranded nucleic acid molecules according to Claim 17 to double-stranded nucleic acid molecules on the solid phase.

25. **(Withdrawn-Currently Amended)** The apparatus or device for the electrochemical detection according to Claim 24, ~~which is~~ wherein the double-stranded nucleic acid molecules formed on the solid phase are in the form of a DNA microarray.

26. **(New)** The ferrocene compound according to Claim 1 wherein R_1 , R_2 and R_3 represent hydrogen.

27. **(New)** A ligand comprising the ferrocene compound according to Claim 1 for sequence-specific detection of double-stranded nucleic acid molecules.